This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Currently Amended) An anhydrous composition comprising
- (a) an antioxidant <u>blend</u> comprising over 40% by weight of hydrolysable tannins comprising Emblicanin A, Emblicanin B, Pedunculagin and Punigluconin and less than 0.01% by weight of Rutin,
- (b) a substantially anhydrous or non-aqueous liquid vehicle functioning to disperse the antioxidant [-]

wherein (a) and (b) are mixed at a temperature below 60 °C.

- 2. (Original) An anhydrous composition according to claim 1, wherein the antioxidant comprises by weight 50-80% of Emblicanin A, Emblicanin B, Pedunculagin and Punigluconin.
- 3. (Original) An anhydrous composition according to claim 1, wherein the antioxidant comprises by weight: 20-35% Emblicanin A, 10-20% Emblicanin B, 15-30% Pedunculagin and 3-12% Punigluconin.
- 4. (Currently Amended) A composition according to claim 1, wherein the antioxidant blend comprises has a content of flavonoids of less than 0.01% by weight of flavonoids.

5. (Canceled)

6. (Currently Amended)	A composition according to claim 1, wherein the antioxidant
blend comprises has a content of Ru	tin of 0.01 to 0.001% by weight of Rutin.

7. (Canceled)

- 8. (Original) An anhydrous composition according to claim 1, wherein the substantially anhydrous or non-aqueous liquid comprises at least one member selected from the group consisting of silicone fluids, organic esters and glycols.
- 9. (**Original**) An anhydrous composition according to claim 8, wherein said substantially anhydrous or non-aqueous liquid comprises at least one silicone fluid.
- 10. (**Original**) An anhydrous composition according to claim 6, wherein said substantially anhydrous or non-aqueous liquid comprises at least one silicone fluid.
- 11. (Original) An anhydrous composition according to claim 1, further comprising at least one structural agent.
- 12. (Original) An anhydrous composition according to claim 10, further comprising at least one structural agent.
 - 13. (Original) An anhydrous composition according to claim 12, wherein said
 3 EMI-0054

structural agent is selected from the group consisting of high melting point fatty alcohols, glycerol esters, glycol esters, polyethylene polymers and polyethylene glycol polymers.

- 14. (Original) An anhydrous composition according to claim 1, further comprising a gelling agent.
- 15. (Original) An anhydrous composition according to claim 6, further comprising a gelling agent.
- 16. (**Original**) An anhydrous composition according to claim 11, further comprising a gelling agent.
- 17. (Original) An anhydrous composition according to claim 16, wherein said gelling agent comprises at least one member selected from the group consisting of silicone elastomers, gelled natural and mineral oil systems, and gelled mineral oil and polymer systems.
- 18. (Original) An anhydrous composition according to claim 1, further comprising at least one sunscreen.
- 19. (Original) An anhydrous composition according to claim 10, further comprising at least one sunscreen.
 - 20. (Original)

 An anhydrous composition according to claim 12, further

 4 EMI-0054

comprising at least one sunscreen.

- 21. (Original) An anhydrous composition according to claim 13, further comprising at least one sunscreen.
- 22. (Original) An anhydrous composition according to claim 15, further comprising at least one sunscreen.
- 23. (Original) An anhydrous composition according to claim 16, further comprising at least one sunscreen.
- 24. (Original) An anhydrous composition according to claim 17, further comprising at least one sunscreen.
- 25. (**Previously presented**) An anhydrous composition according to claim 1, further comprising an amount of bismuth oxychloride sufficient to impart an improved skin feel to the composition, said bismuth oxychloride having a particle size of less than 35 microns (80% within range) and a median size of 8.0 to 20 microns.
- 26. (Previously presented) An anhydrous composition according to claim 6, further comprising an amount of bismuth oxychloride sufficient to impart an improved skin feel to the composition, said bismuth oxychloride having a particle size of less than 35 microns (80% within range) and a median size of 8.0 to 20 microns.

5 EMI-0054

- 27. (**Previously presented**) An anhydrous composition according to claim 10, further comprising an amount of bismuth oxychloride sufficient to impart an improved skin feel to the composition, said bismuth oxychloride having a particle size of less than 35 microns (80% within range) and a median size of 8.0 to 20 microns.
- 28. (**Previously presented**) An anhydrous composition according to claim 12, further comprising an amount of bismuth oxychloride sufficient to impart an improved skin feel to the composition, said bismuth oxychloride having a particle size of less than 35 microns (80% within range) and a median size of 8.0 to 20 microns.
- 29. (**Previously presented**) An anhydrous composition according to claim 13, further comprising an amount of bismuth oxychloride sufficient to impart an improved skin feel to the composition, said bismuth oxychloride having a particle size of less than 35 microns (80% within range) and a median size of 8.0 to 20 microns.
- 30. (**Previously presented**) An anhydrous composition according to claim 16, further comprising an amount of bismuth oxychloride sufficient to impart an improved skin feel to the composition, said bismuth oxychloride having a particle size of less than 35 microns (80% within range) and a median size of 8.0 to 20 microns.
- 31. (Previously presented) An anhydrous composition according to claim 17, further comprising an amount of bismuth oxychloride sufficient to impart an improved skin feel to the

6 EMI-0054

composition, said bismuth oxychloride having a particle size of less than 35 microns (80% within range) and a median size of 8.0 to 20 microns.

- 32. (Previously presented) An anhydrous composition according to claim 18, further comprising an amount of bismuth oxychloride sufficient to impart an improved skin feel to the composition, said bismuth oxychloride having a particle size of less than 35 microns (80% within range) and a median size of 8.0 to 20 microns.
- 33. (Previously presented) An anhydrous composition according to claim 24, further comprising an amount of bismuth oxychloride sufficient to impart an improved skin feel to the composition, said bismuth oxychloride having a particle size of less than 35 microns (80% within range) and a median size of 8.0 to 20 microns.
- 34. (Previously presented) An anhydrous composition comprising a silicone liquid, a silicone elastomer, and bismuth oxychloride in sufficient amounts to impart an improved skin feel to the composition, said bismuth oxychloride having a particle size of less than 35 microns (80% within range) and a median size of 8.0 to 20 microns.
 - 35. (Currently Allowed) A method of producing an anhydrous composition
- (a) an antioxidant comprising over 40% by weight of hydrolysable tannins comprising Emblicanin A, Emblicanin B, Pedunculagin and Punigluconin,
- (b) a substantially anhydrous or non-aqueous liquid vehicle functioning to disperse the antioxidant, said anhydrous composition further comprising at least one of a structural and gelling

agent, said process comprising the steps of:

- (1) mixing up to 80% by weight of said substantially anhydrous or non-aqueous vehicle and 5 to 90% by weight of a structural and/or gelling agent with sufficient heat and mixing until a clear and uniform mixture is obtained;
- (2) mixing the anti-oxidant with a minor amount of about 1-20% by weight of said substantially anhydrous or non-aqueous vehicle with a minor amount of about 1-30% by weight of said structural and/or gelling agent, under a sufficient heat but below 60°C until it contains no visible lumps, and
 - (3) mixing the product of step (2) with the product of step (1) at below 50°C.

8 EMI-0054